

Register of Pledged Movable Estate

1. Entry assignment to another user

For entry assignment to another user the pledge registration number and identification code (secret) shall be used. The pledge registration number and identification code (secret) are shown in the view mode “Details” in the section “My entries in the Register” (Figure 1, 2).

Register of movable estate encumbered with collateral
Republic of Belarus

en ru by
Gal_test▼

To search, specify any of the fragments:

Registration number of the pledge

Author's last name

Contract number

Find

Reset filters

Back to the personal area Add by code






No	Registration number of collateral	Author	Contract number	Date and time of pledge registration	Date of notice insertion	Date and time of last edit	Date of conclusion of the pledge agreement	End date of pledge right	Amount of obligations, BYN	
1	20016881027374	Test Gal		05/10/2017 12:29:21	05/10/2017 12:29:21	05/10/2017 12:43:41		01/09/2017	00	i  
2	20016880980001	Test Gal		05/10/2017 12:23:44	05/10/2017 12:23:44		02/10/2017	12/10/2028	00	  

Figure 1 – Location of the button “Details” in the section “My entries in the Register”

The user, who assigns an entry to another user, shall provide the pledge registration and the identification code to connect the entry to another user’s personal account.

Pledge agreement

Registration number of the pledge: 20016881027374

Date of pledge registration: 05.10.2017 12:29:21

Date of termination of the right of pledge: 01.09.2017

Lease further pledge refuse terms: Not refuse

Additionally

Contract sum, BYN: 1500.00BYN

Identification code: 914945

Figure 1 – Viewing mode “Details”

2. Adding an entry received from another user

To add an entry received from another user click the button “Add by code” in the section “My entries in the Register” (Figure 3).

Register of movable estate encumbered with collateral
Republic of Belarus

en ru by
Gal_test▼

To search, specify any of the fragments:

Registration number of the pledge

Author's last name

Contract number

Find


Reset filters

Back to the personal area [Add by code](#)

No	Registration number of collateral	Author	Contract number	Date and time of pledge registration	Date of notice insertion	Date and time of last edit	Date of conclusion of the pledge agreement	End date of pledge right	Amount of obligations, BYN	
1	20016881027374	Test Gal		05/10/2017 12:29:21	05/10/2017 12:29:21	05/10/2017 13:05:49		01/09/2017	00	i ✎ ✕

Figure 3 – The button “Add by code” in section “My entries in the Register”

Then the received pledge registration No. and entry identification code should be indicated in the popup window, click the button “Send”.



Enter the identification code and registration number of the pledge

914945

20016881027374

Send

Figure 2 – Popup window for data entry

If the data have been entered correctly, a message on the entry successful adding appears (Figure 5), as well as the registration number in the section “My entries in the Register” (Figure 6). The identification code is updated after the operation performance. It can also be seen in the view mode “Details” in the section “My entries in the Register”.

The record with registration number 20016874581730 was successfully added

Figure 3 – An example of the message about successful addition of an entry



To search, specify any of the fragments:

Registration number of the pledge

Author's last name

Contract number

Find

[Reset filters](#)

[Back to the personal area](#)

[Add by code](#)

No	Registration number of collateral	Author	Contract number	Date and time of pledge registration	Date of notice insertion	Date and time of last edit	Date of conclusion of the pledge agreement	End date of pledge right	Amount of obligations, BYN	
1	20016881027374	Test Gal		05/10/2017 12:29:21	05/10/2017 12:29:21	05/10/2017 13:05:49		01/09/2017	00	  

Total records: 1

1

Figure 4 – Entry added according to the code by another participant

In case of incorrectly entered identification code or registration number an error message appears, as shown on Figure 7.

Enter the identification code and registration number of the pledge

Invalid identification code

[Send](#)

Figure 5 – An example of the error message

After successful entry connection by the user, to whom pledge registration No. and identification code were assigned, the entry is deleted from the section “My entries in the Register” of the user, who assigned the entry.